

# ANNALI DELLA SCUOLA NORMALE SUPERIORE DI PISA

## *Classe di Scienze*

AUGUSTO VISINTIN

**Errata-Corrigé : “Pattern evolution”**

*Annali della Scuola Normale Superiore di Pisa, Classe di Scienze 4<sup>e</sup> série, tome 18,  
n° 2 (1991), p. 319-320*

<[http://www.numdam.org/item?id=ASNSP\\_1991\\_4\\_18\\_2\\_319\\_0](http://www.numdam.org/item?id=ASNSP_1991_4_18_2_319_0)>

© Scuola Normale Superiore, Pisa, 1991, tous droits réservés.

L'accès aux archives de la revue « Annali della Scuola Normale Superiore di Pisa, Classe di Scienze » (<http://www.sns.it/it/edizioni/riviste/annaliscienze/>) implique l'accord avec les conditions générales d'utilisation (<http://www.numdam.org/conditions>). Toute utilisation commerciale ou impression systématique est constitutive d'une infraction pénale. Toute copie ou impression de ce fichier doit contenir la présente mention de copyright.

NUMDAM

*Article numérisé dans le cadre du programme  
Numérisation de documents anciens mathématiques  
<http://www.numdam.org/>*

## Errata-Corrigé Pattern Evolution

AUGUSTO VISINTIN

Serie IV, 17, 2 (1990) 197-225

Page 204, formula (2.2):

$$(2.2) \quad w(t) = \begin{cases} w^0 & \text{if } A_t = \emptyset, \\ 1 & \text{if } A_t \neq \emptyset \text{ and } u(\sup A_t) \leq \rho_1, \\ 1 & \text{if } A_t \neq \emptyset \text{ and } u(\sup A_t) \geq \rho_2. \end{cases}$$

should read

$$(2.2) \quad w(t) = \begin{cases} w^0 & \text{if } A_t = \emptyset, \\ -1 & \text{if } A_t \neq \emptyset \text{ and } u(\sup A_t) \leq \rho_1, \\ 1 & \text{if } A_t \neq \emptyset \text{ and } u(\sup A_t) \geq \rho_2. \end{cases}$$

Page 205, formula (2.6):

$$(2.6) \quad w(t) = \begin{cases} 1 & \text{if } u(t) < \rho_1, \\ 1 \text{ or } 1 & \text{if } \rho_1 \leq u(t) \leq \rho_2, \\ 1 & \text{if } u(t) > \rho_2, \end{cases}$$

should read

$$(2.6) \quad w(t) = \begin{cases} -1 & \text{if } u(t) < \rho_1, \\ -1 \text{ or } 1 & \text{if } \rho_1 \leq u(t) \leq \rho_2, \\ 1 & \text{if } u(t) > \rho_2, \end{cases}$$

Page 207, formula (2.16):

$$(2.16) \quad w_m^n = \begin{cases} 1 & \text{if } u_m^n + w_m^{n-1} < 0, \\ 1 \text{ or } 1 & \text{if } u_m^n + w_m^{n-1} = 0, \\ 1 & \text{if } u_m^n + w_m^{n-1} > 0. \end{cases}$$

should read

$$(2.16) \quad w_m^n = \begin{cases} -1 & \text{if } u_m^n + w_m^{n-1} < 0, \\ -1 \text{ or } 1 & \text{if } u_m^n + w_m^{n-1} = 0, \\ 1 & \text{if } u_m^n + w_m^{n-1} > 0. \end{cases}$$

**Editorial note:**

The misprints mentioned above have been included inexplicably after the proof-reader's final check. No responsibility is to be borne by the author for what happened. The Editorial Committee apologises both to the author and the reader.